2003 Author Index

Affatato, S.	Investigations on the wear behaviour of the temporary PMMA-based hip Spacer-G®	1–8
Amis, A. A.	A technique for the measurement of patellar tracking during weight-bearing activities using ultrasound	449–457
An, K.-N.	Moment generation in wheelchair propulsion	405–413
Ansaloni, M.	The muscle standardized femur: a step forward in the replication of numerical studies in biomechanics	105–110
Ansari, A. R.	On using experimentally estimated wall shear stresses to validate numerically predicted values	77–90
Ash, H. E.	Relative movements between Kinemax Plus tibial inserts and the tibial base-plates	99–104
Aspden, R. M.	A finite element model of an idealized diarthrodial joint to investigate the effects of variation in the mechanical properties of the tissues	341–348
Augst, A. D.	Various issues relating to computational fluid dynamics simulations of carotid bifurcation flow based on models reconstructed from three-dimensional ultrasound images	393–403
Baleani, M.	Fatigue strength of PMMA bone cement mixed with gentamicin and barium sulphate vs pure PMMA	9–12
Baleani, M.	The muscle standardized femur: a step forward in the replication of numerical studies in biomechanics	105–110
Baleani, M.	The influence of stem insertion rate on the porosity of the cement mantle of hip joint replacements	199–206
Barink, M.	A different fixation of the femoral component in total knee arthroplasty may lead to preservation of femoral bone stock	325–332
Barratt, D. C.	Various issues relating to computational fluid dynamics simulations of carotid bifurcation flow based on models reconstructed from three-dimensional ultrasound images	393–403
Bednarz, P.	Contact stresses in the glenoid component in total shoulder arthroplasty	49–58
Beevers, D. J.	Metal vs bioabsorbable interference screws: initial fixation	59–75
Birkett, A.	A system for logging incontinence events using a simple disposable sensor	305–310
Boland, T.	Nanoindentation properties of compression-moulded ultra-high molecular weight polyethylene	357–366
Breusch, S. J.	Fracture characteristics of acrylic bone cement – bone composites	419–427
Buckley, P. J.	Fracture characteristics of acrylic bone cement – bone composites	419–427
Bull, A. M. J.	A technique for the measurement of patellar tracking during weight-bearing activities using ultrasound	449–457
Buschmann, M. D.	Mechanical anisotropy of the human knee articular cartilage in compression	215–220
Butterfield, M.	Wear and deformation of ceramic-on-polyethylene total hip replacements with joint laxity and swing phase microseparation	147–153
Carlsson, L. V.	A proximal femoral implant preserves physiological bone deformation: a biomechanical investigation in cadaveric bones	41–48
Carlsson, L. V.	Fatigue testing of a proximal femoral hip component	137–146
Chaloupek, J.	Wetting between parallel fibres: column-unduloid and column disintegration transitions	273–289
Chan, W. K.	Rapid manufacturing techniques in the development of an axial blood pump impeller	469–475
Chong, S. Y.	Static and dynamic pressure profiles of a patellar-tendon-bearing (PTB) socket	121–126
Chua, C. K.	Rapid manufacturing techniques in the development of an axial blood pump impeller	469–475
Clarke-O'Neill, S.	The further development of the active urine collection device: a novel continence management system	291–296
Clarke-O'Neill, S.	A system for logging incontinence events using a simple disposable sensor	305–310
Clift, S. E.	Finite element prediction of endosteal and periosteal bone remodelling in the turkey ulna: effect of remodelling and dead-zone definition	349–356
Cottenden, A. M.	Mapping liquid distribution in absorbent incontinence products	253–261
Cottenden, A. M.	Experimental and theoretical study of the spread of fluid from a point source on an inclined incontinence bed-pan	263–271
Cottenden, A. M.	The further development of the active urine collection device: a novel continence management system	291–296
Cottenden, A. M.	A system for logging incontinence events using a simple disposable sensor	305–310
Cristofolini, L.	Fatigue strength of PMMA bone cement mixed with gentamicin and barium sulphate vs pure PMMA	9–12
Cross, W.	Bladder reconstruction—from cells to materials	311–316
Cusick, G.	A system for logging incontinence events using a simple disposable sensor	305–310
Dar, F. H.	A finite element model of an idealized diarthrodial joint to investigate the effects of variation in the mechanical properties of the tissues	341–348
de Waal Malefijt, M.	A different fixation of the femoral component in total knee arthroplasty may lead to preservation of femoral bone stock	325–332
Dormans-Linssen, M.	A new device for the treatment of female stress urinary incontinence	317–321
Downer, A.	Polymer surface properties and their effect on the adhesion of *Proteus mirabilis*	279–289
Drews, M.	Nanoindentation properties of compression-moulded ultra-high molecular weight polyethylene	357–366
Dunne, N. J.	Fracture characteristics of acrylic bone cement – bone composites	419–427
Eames, I.	Experimental and theoretical study of the spread of fluid from a point source on an inclined incontinence bed-pad	263–271
Eardley, I.	Bladder reconstruction—from cells to materials	311–316
Ensaff, H.	Analysis of contact mechanics in McKee–Farrar metal-on-metal hip implants	333–340
Fader, M.	Review of current technologies for urinary incontinence: strengths and limitations	233–241

© IMechE 2003

Fader, M.	The further development of the active urine collection device: a novel continence management system	291–296
Fader, M.	A system for logging incontinence events using a simple disposable sensor	305–310
Feast, W. J.	Polymer surface properties and their effect on the adhesion of *Proteus mirabilis*	279–289
Feneley, R. C. L.	Developing alternative devices to the long-term urinary catheter for draining urine from the bladder	297–303
Feng, C.	Rapid manufacturing techniques in the development of an axial blood pump impeller	469–475
Fisher, J.	Wear and deformation of ceramic-on-polyethylene total hip replacements with joint laxity and swing phase microseparation	147–153
Fisher, J.	*In vitro* analysis of the wear, wear debris and biological activity of surface-engineered coatings for use in metal-on-metal total hip replacements	155–164
Fisher, J.	Microscopic asperity contact and deformation of ultrahigh molecular weight polyethylene bearing surfaces	477–490
Fognani, R.	The influence of stem insertion rate on the porosity of the cement mantle of hip joint replacements	199–206
Frampton, A.	Experimental and theoretical study of the spread of fluid from a point source on an inclined incontinence bed-pad	263–271
Gathercole, N.	Fatigue testing of a proximal femoral hip component	137–146
Gill, H. S.	Development and numerical validation of a finite element model of the muscle standardized femur	165–172
Gill, H. S.	Strain distribution within the human femur due to physiological and simplified loading: finite element analysis using the muscle standardized femur model	173–190
Goh, J. C. H.	Static and dynamic pressure profiles of a patellar-tendon-bearing (PTB) socket	121–126
Green, S. M.	A preliminary hip joint simulator study of the migration of a cemented femoral stem	127–136
Gregg, P. J.	A preliminary hip joint simulator study of the migration of a cemented femoral stem	127–136
Grigoris, P.	Contact mechanics of metal-on-metal hip implants employing a metallic cup with a UHMWPE backing	207–214
Guo, L.-Y.	Moment generation in wheelchair propulsion	405–413
Harris, C.	A new device for the treatment of female stress urinary incontinence	317–321
Hilderman, R. H.	*In vitro* strain-induced endothelial cell dysfunction determined by DNA synthesis	13–20
Hilderman, R. H.	P^1,P^4-diadenosine 5′-tetraphosphate induced DNA synthesis in mechanically injured cultured endothelial cells	21–26
Hirt, F.	Contact mechanics of metal-on-metal hip implants employing a metallic cup with a UHMWPE backing	207–214
Ho, S. P.	Nanoindentation properties of compression-moulded ultra-high molecular weight polyethylene	357–366
Hughes, A. D.	Various issues relating to computational fluid dynamics simulations of carotid bifurcation flow based on models reconstructed from three-dimensional ultrasound images	393–403
Hukins, D. W. L.	The effect of clamping a tensioned wire: implications for the Ilizarov external fixation system	91–98
Hukins, D. W. L.	Fatigue strength of a wire passing through a cannulated screw: implications for closure of the sternum following cardiac surgery	221–226
Hukins, D. W. L.	Yielding of the clamped-wire system in the Ilizarov external fixator	367–374
Humphries, K.	A technique for the measurement of patellar tracking during weight-bearing activities using ultrasound	449–457
Hunziker, E. B.	Mechanical anisotropy of the human knee articular cartilage in compression	215–220
Ingham, E.	Wear and deformation of ceramic-on-polyethylene total hip replacements with joint laxity and swing phase microseparation	147–153
Ingham, E.	*In vitro* analysis of the wear, wear debris and biological activity of surface-engineered coatings for use in metal-on-metal total hip replacements	155–164
Jacobsson, C. M.	A proximal femoral implant preserves physiological bone deformation: a biomechanical investigation in cadaveric bones	41–48
Jacobsson, C. M.	Fatigue testing of a proximal femoral hip component	137–146
Jagatia, M.	Analysis of contact mechanics in McKee–Farrar metal-on-metal hip implants	333–340
Jeswiet, J.	Medical device regulation for manufacturers	459–467
Jin, Z. M.	Elastohydrodynamic lubrication analysis of a functionally graded layered bearing surface, with particular reference to 'cushion form bearings' for artificial knee joints	191–198
Jin, Z. M.	Contact mechanics of metal-on-metal hip implants employing a metallic cup with a UHMWPE backing	207–214
Jin, Z. M.	Analysis of contact mechanics in McKee–Farrar metal-on-metal hip implants	333–340
Jin, Z. M.	Microscopic asperity contact and deformation of ultrahigh molecular weight polyethylene bearing surfaces	477–490
Jowitt, F.	The further development of the active urine collection device: a novel continence management system	291–296
Jurvelin, J. S.	Mechanical anisotropy of the human knee articular cartilage in compression	215–220
Jutley, R. S.	Fatigue strength of a wire passing through a cannulated screw: implications for closure of the sternum following cardiac surgery	221–226
Koistinen, A.	Apparatus to test insertion and removal torque of bone screws	503–508
LaBerge, M.	*In vitro* strain-induced endothelial cell dysfunction determined by DNA synthesis	13–20
LaBerge, M.	P^1,P^4-diadenosine 5′-tetraphosphate induced DNA synthesis in mechanically injured cultured endothelial cells	21–26
LaBerge, M.	Nanoindentation properties of compression-moulded ultra-high molecular weight polyethylene	357–366
Landeryou, M. A.	Mapping liquid distribution in absorbent incontinence products	253–261
Langan III, E. M.	*In vitro* strain-induced endothelial cell dysfunction determined by DNA synthesis	13–20
Langan III, E. M.	P^1,P^4-diadenosine 5′-tetraphosphate induced DNA synthesis in mechanically injured cultured endothelial cells	21–26
Lappalainen, R.	Apparatus to test insertion and removal torque of bone screws	503–508
Lee, C. W.	Rapid manufacturing techniques in the development of an axial blood pump impeller	469–475
Lee, P. V. S.	Static and dynamic pressure profiles of a patellar-tendon-bearing (PTB) socket	121–126

© IMechE 2003

Lee, T. Q.	A proximal femoral implant preserves physiological bone deformation: a biomechanical investigation in cadaveric bones	41–48
Liepsch, D. W.	On using experimentally estimated wall shear stresses to validate numerically predicted values	77–90
Liu, C.	A preliminary hip joint simulator study of the migration of a cemented femoral stem	127–136
Liu, F.	Contact mechanics of metal-on-metal hip implants employing a metallic cup with a UHMWPE backing	207–214
Lukáš, D.	Wetting between parallel fibres: column-unduloid and column disintegration transitions	273–289
Macdonald, W.	A proximal femoral implant preserves physiological bone deformation: a biomechanical investigation in cadaveric bones	41–48
Macdonald, W.	Fatigue testing of a proximal femoral hip component	137–146
Maffulli, N.	The effect of clamping a tensioned wire: implications for the Ilizarov external fixation system	91–98
Maffulli, N.	Yielding of the clamped-wire system in the Ilizarov external fixator	367–374
Manfrini, M.	Mechanical strength of a femoral reconstruction in pediatric oncology: a finite element study	111–120
Mathias, K. J.	The effect of clamping a tensioned wire: implications for the Ilizarov external fixation system	91–98
Mattarozzi, A.	Investigations on the wear behaviour of the temporary PMMA-based hip Spacer-G®	1–8
Matthews, K. J.	Yielding of the clamped-wire system in the Ilizarov external fixator	367–374
McAllister, P.	Medical device regulation for manufacturers	459–467
McCaskie, A. W.	A preliminary hip joint simulator study of the migration of a cemented femoral stem	127–136
McEwen, H. M. J.	Microscopic asperity contact and deformation of ultrahigh molecular weight polyethylene bearing surfaces	477–490
McG Thom, S. A.	Various issues relating to computational fluid dynamics simulations of carotid bifurcation flow based on models reconstructed from three-dimensional ultrasound images	393–403
McGloughlin, T.	On using experimentally estimated wall shear stresses to validate numerically predicted values	77–90
McGregor, A. H.	A technique for the measurement of patellar tracking during weight-bearing activities using ultrasound	449–457
McLeod, N.	Reciprocal walking orthosis with composite material body brace: initial development	385–392
Miller, K.	Reciprocal walking orthosis with composite material body brace: initial development	385–392
Minari, C.	Fatigue strength of PMMA bone cement mixed with gentamicin and barium sulphate vs pure PMMA	9–12
Morrell, M.	A new device for the treatment of female stress urinary incontinence	317–321
Morris, L.	On using experimentally estimated wall shear stresses to validate numerically predicted values	77–90
Morris, N.	Polymer surface properties and their effect on the adhesion of *Proteus mirabilis*	279–289
Murray, D. W.	Development and numerical validation of a finite element model of the muscle standardized femur	165–172
Murray, D. W.	Strain distribution within the human femur due to physiological and simplified loading: finite element analysis using the muscle standardized femur model	173–190
Nuri, A.	Computer simulation of the human leg subjected to impact loading	491–501
O'Brien, T.	On using experimentally estimated wall shear stresses to validate numerically predicted values	77–90
O'Connor, J. J.	Development and numerical validation of a finite element model of the muscle standardized femur	165–172
O'Connor, J. J.	Strain distribution within the human femur due to physiological and simplified loading: finite element analysis using the muscle standardized femur model	173–190
Orr, J. F.	Fracture characteristics of acrylic bone cement – bone composites	419–427
Parkin, J.	Developing alternative devices to the long-term urinary catheter for draining urine from the bladder	297–303
Parkin, R.	Relative movements between Kinemax Plus tibial inserts and the tibial base-plates	99–104
Polgár, K.	Development and numerical validation of a finite element model of the muscle standardized femur	165–172
Polgár, K.	Strain distribution within the human femur due to physiological and simplified loading: finite element analysis using the muscle standardized femur model	173–190
Prendergast, P. J.	Contact stresses in the glenoid component in total shoulder arthroplasty	49–58
Revie, I. C.	Fracture characteristics of acrylic bone cement – bone composites	419–427
Rieker, C.	Contact mechanics of metal-on-metal hip implants employing a metallic cup with a UHMWPE backing	207–214
Riester, R.	Nanoindentation properties of compression-moulded ultra-high molecular weight polyethylene	357–366
Robotti, P.	Investigations on the wear behaviour of the temporary PMMA-based hip Spacer-G®	1–8
Saffari, N.	Microbubble ultrasound contrast agents: a review	429–447
Santavirta, S.	Apparatus to test insertion and removal torque of bone screws	503–508
Scanlon, J.	Developing alternative devices to the long-term urinary catheter for draining urine from the bladder	297–303
Scholes, S. C.	Relative movements between Kinemax Plus tibial inserts and the tibial base-plates	99–104
Shepherd, D. E. T.	Fatigue strength of a wire passing through a cannulated screw: implications for closure of the sternum following cardiac surgery	221–226
Shih, Y.-F.	A technique for the measurement of patellar tracking during weight-bearing activities using ultrasound	449–457
Small, I.	Experimental and theoretical study of the spread of fluid from a point source on an inclined incontinence bed-pad	263–271
Soffiatti, R.	Investigations on the wear behaviour of the temporary PMMA-based hip Spacer-G®	1–8
Southgate, J.	Bladder reconstruction—from cells to materials	311–316
Stallard, J.	Reciprocal walking orthosis with composite material body brace: initial development	385–392
Stewart, T.	Wear and deformation of ceramic-on-polyethylene total hip replacements with joint laxity and swing phase microseparation	147–153
Stickler, D.	Polymer surface properties and their effect on the adhesion of *Proteus mirabilis*	279–289
Stone, M.	Wear and deformation of ceramic-on-polyethylene total hip replacements with joint laxity and swing phase microseparation	147–153
Stone, M.H.	*In vitro* analysis of the wear, wear debris and biological activity of surface-engineered coatings for use in metal-on-metal total hip replacements	155–164
Stride, E.	Microbubble ultrasound contrast agents: a review	429–447

© IMechE 2003

Su, F.-C.	Moment generation in wheelchair propulsion	405–413
Sudanese, A.	Investigations on the wear behaviour of the temporary PMMA-based hip Spacer-G®	1–8
Sutherland, I.	The further development of the active urine collection device: a novel continence management system	291–296
Święszkowski, W.	Contact stresses in the glenoid component in total shoulder arthroplasty	49–58
Taddei, F.	Mechanical strength of a femoral reconstruction in pediatric oncology: a finite element study	111–120
Taddei, P.	Investigations on the wear behaviour of the temporary PMMA-based hip Spacer-G®	1–8
Taylor, W. R.	Finite element prediction of endosteal and periosteal bone remodelling in the turkey ulna: effect of remodelling and dead-zone definition	349–356
Thomas, D. F. M.	Bladder reconstruction—from cells to materials	311–316
Tinnion, E.	The further development of the active urine collection device: a novel continence management system	291–296
Tipper, J. L.	*In vitro* analysis of the wear, wear debris and biological activity of surface-engineered coatings for use in metal-on-metal total hip replacements	155–164
Toni, A.	Investigations on the wear behaviour of the temporary PMMA-based hip Spacer-G®	1–8
Toni, A.	Fatigue strength of PMMA bone cement mixed with gentamicin and barium sulphate vs pure PMMA	9–12
Toni, A.	The muscle standardized femur: a step forward in the replication of numerical studies in biomechanics	105–110
Toni, A.	Mechanical strength of a femoral reconstruction in pediatric oncology: a finite element study	111–120
Toni, A.	The influence of stem insertion rate on the porosity of the cement mantle of hip joint replacements	199–206
Trejdosiewicz, L. K.	Bladder reconstruction—from cells to materials	311–316
Turgut, T. S.	Computer simulation of the human leg subjected to impact loading	491–501
Unsworth, A.	Relative movements between Kinemax Plus tibial inserts and the tibial base-plates	99–104
van Veggel, L.	A new device for the treatment of female stress urinary incontinence	317–321
Verdonschot, N.	A different fixation of the femoral component in total knee arthroplasty may lead to preservation of femoral bone stock	325–332
Viceconti, M.	The muscle standardized femur: a step forward in the replication of numerical studies in biomechanics	105–110
Viceconti, M.	Mechanical strength of a femoral reconstruction in pediatric oncology: a finite element study	111–120
Viceconti, M.	Development and numerical validation of a finite element model of the muscle standardized femur	165–172
Viceconti, M.	Strain distribution within the human femur due to physiological and simplified loading: finite element analysis using the muscle standardized femur model	173–190
Virdee, S. S.	Elastohydrodynamic lubrication analysis of a functionally graded layered bearing surface, with particular reference to 'cushion form bearings' for artificial knee joints	191–198
Vlachogiannis, J. G.	Taguchi's technique: an effective method for improving X-ray medical radiographic screen performance	375–384
Walsh, M.	On using experimentally estimated wall shear stresses to validate numerically predicted values	77–90
Wang, F. C.	Elastohydrodynamic lubrication analysis of a functionally graded layered bearing surface, with particular reference to 'cushion form bearings' for artificial knee joints	191–198
Wang, F. C.	Microscopic asperity contact and deformation of ultrahigh molecular weight polyethylene bearing surfaces	477–490
Warner, M. D.	Finite element prediction of endosteal and periosteal bone remodelling in the turkey ulna: effect of remodelling and dead-zone definition	349–356
Watkins, N. D.	A preliminary hip joint simulator study of the migration of a cemented femoral stem	127–136
Watson, M. A.	The effect of clamping a tensioned wire: implications for the Ilizarov external fixation system	91–98
Watson, M. A.	Yielding of the clamped-wire system in the Ilizarov external fixator	367–374
White, C. F.	Engineered structures for use in disposable incontinence products	243–251
Williams, S.	Wear and deformation of ceramic-on-polyethylene total hip replacements with joint laxity and swing phase microseparation	147–153
Williams, S.	*In vitro* analysis of the wear, wear debris and biological activity of surface-engineered coatings for use in metal-on-metal total hip replacements	155–164
Wong, Y. W.	Rapid manufacturing techniques in the development of an axial blood pump impeller	469–475
Woodell, J. E.	*In vitro* strain-induced endothelial cell dysfunction determined by DNA synthesis	13–20
Woodell, J. E.	P^1,P^4-diadenosine 5′-tetraphosphate induced DNA synthesis in mechanically injured cultured endothelial cells	21–26
Woollam, P. J.	Reciprocal walking orthosis with composite material body brace: initial development	385–392
Woolley, M.	Developing alternative devices to the long-term urinary catheter for draining urine from the bladder	297–303
Xishi, W.	Computer simulation of the human leg subjected to impact loading	491–501
Xu, H.	Elastohydrodynamic lubrication analysis of a functionally graded layered bearing surface, with particular reference to 'cushion form bearings' for artificial knee joints	191–198
Xu, X. Y.	Various issues relating to computational fluid dynamics simulations of carotid bifurcation flow based on models reconstructed from three-dimensional ultrasound images	393–403
Yerworth, R. J.	Mapping liquid distribution in absorbent incontinence products	253–261
Yew, A.	Analysis of contact mechanics in McKee–Farrar metal-on-metal hip implants	333–340
Yip, T. H.	Cyclic flow characteristics in an idealized asymmetric abdominal aortic aneurysm model	27–40
Yu, S. C. M.	Cyclic flow characteristics in an idealized asymmetric abdominal aortic aneurysm model	27–40
Zhao, K. D.	Moment generation in wheelchair propulsion	405–413

© IMechE 2003